

BSD TRANSITIONALS

This ceramic diamond grinding process is designed to follow the metal bond process. The result is a superior floor with fewer steps. It has a long life (10,000 - 15,000 ft²). Can be used wet or dry through 400 grit. 800 and 1500 dry grinding only. It can be used on small to medium planetary machines.

Features

- Expected lifespan 10,000-15,000 ft²
- Reduces metal bond steps
- Excellent finish
- For medium and small planetary machines
- Also available in Speedshift
- Available in soft, medium and hard bonds



Item #	Description	Size	Boss	Grit	Bond	Concrete Hardness
7134	BSD	3"	No Boss	30	Standard	Medium
7130	BSD	3"	No Boss	50	Standard	Medium
7135	BSD	3"	No Boss	80	Standard	Medium
7127	BSD	3"	No Boss	100	Standard	Medium
7137	BSD	3"	No Boss	200	Standard	Medium
7131	BSD	3"	No Boss	400	Standard	Medium
7132	BSD	3"	No Boss	800	Standard	Medium
7149	BSD	3"	No Boss	1500	Standard	Medium
685075	Luster Pad	3"	No Boss	Finish	Standard	Medium
7140	BSD	3"	With Boss	30	Standard	Medium
7141	BSD	3"	With Boss	50	Standard	Medium
7142	BSD	3"	With Boss	80	Standard	Medium
7143	BSD	3"	With Boss	100	Standard	Medium
7144	BSD	3"	With Boss	200	Standard	Medium
7145	BSD	3"	With Boss	400	Standard	Medium
7163	BSD	3"	No Boss	30	Soft	Hard
7164	BSD	3"	No Boss	50	Soft	Hard
7165	BSD	3"	No Boss	80	Soft	Hard
7166	BSD	3"	No Boss	100	Soft	Hard
7167	BSD	3"	No Boss	200	Soft	Hard
7168	BSD	3"	No Boss	400	Soft	Hard
7175	BSD	3"	With Boss	30	Soft	Hard
7176	BSD	3"	With Boss	50	Soft	Hard
7177	BSD	3"	With Boss	80	Soft	Hard
7178	BSD	3"	With Boss	100	Soft	Hard
7179	BSD	3"	With Boss	200	Soft	Hard
7180	BSD	3"	With Boss	400	Soft	Hard
8645B	BSD	3"	No Boss	30	Hard	Soft
8646B	BSD	3"	No Boss	50	Hard	Soft
8647B	BSD	3"	No Boss	100	Hard	Soft
8648B	BSD	3"	No Boss	200	Hard	Soft
8649B	BSD	3"	No Boss	400	Hard	Soft
8655B	BSD	3"	With Boss	30	Hard	Soft
8656B	BSD	3"	With Boss	50	Hard	Soft
8657B	BSD	3"	With Boss	100	Hard	Soft
8658B	BSD	3"	With Boss	200	Hard	Soft
8659B	BSD	3"	With Boss	400	Hard	Soft