

## **SECTION 1 -- PRODUCT IDENTIFICATION**

IDENTITY (Trade Name): Abrasive Cotton Fiber Products

FAMILY/CHEMICAL NAME: Ceramic abrasive.

PRODUCT USE: Chamfering, deburring, cleaning, blending, and finishing. Abrasives break down

during use. The resulting dust is classified by OSHA as inert or nuisance dust.

Data provided pertains primarily to the dust produced during and after use.

MANUFACTURER/SUPPLIER: BORIDE Engineered Abrasives

2615 Aero Park Dr.

Traverse City MI 49686-9101

ORIGINAL ISSUE DATE: June 30, 2015

TELEPHONE NUMBER: (800) 662-0336

24-HOUR EMERGENCY NUMBER: (231) 922-1959

### **SECTION 2 – HAZARDS IDENTIFICATION**

PRIMARY ROUTES OF EXPOSURE: During or after use, the dust resulting from breakdown may be inhaled or

come in contact with skin or eyes.

POTENTIAL HEALTH EFFECTS:

ACUTE: Eyes: Dust can cause irritation, redness and eye watering.

Skin: No skin absorption hazard. May cause rash from mechanical irritation.

Inhalation (Breathing): Nuisance dust may cause coughing or sneezing.

Ingestion (Swallowing): Abrasive particles may cause irritation.

CHRONIC: Prolonged inhalation of inert dust can cause respiratory distress.

MEDICAL CONDITION AGGRAVATED BY EXPOSURE: Nuisance dust may aggravate pre-existing pulmonary

conditions.

NFPA RATINGS: Health: 0; Flammability: 0; Reactivity: 0



## SECTION 3 – COMPOSITION/INFORMATION ON INGREDIENTS

MATERIAL	CAS#	WEIGHT %	PEL	EC#	
Aluminum Oxide	1344-28-1	> 60%	15mg/m <sup>3</sup> dust	215-691-6	
Silicon Carbide	409-21-2	> 60%	15mg/m <sup>3</sup> dust	206-991-8	
Phenolic Abrasive Binder **	N/E	< 20%	N/E	N/E	
Polychloroprene Compound *	* N/E	< 20%	N/E	N/E	
Nitrile Compound **	N/E	< 20%	N/E	N/E	
Resin Coated Fiberglass	N/E	< 10%	N/E	N/E	
Raw Cotton	N/E	< 20%	1mg/m <sup>3</sup> dust	N/E	
Cured Epoxy Resin **	N/E	< 10%	N/E	N/E	

<sup>\*\*</sup> Substance is a compound and/or mixture

Abrasive Cotton Fiber Products vary in composition and are comprised of only some of the above.

### N/E = not established

#### **SECTION 4 – FIRST AID MEASURES**

EYES: Flush eyes with water for 15 minutes lifting upper and lower lids occasionally. Seek medical attention if irritation or pain persists.

SKIN: Thoroughly wash affected area with soap and water and isolate from exposure. If irritation or rash persists, seek medical attention.

INHALATION: If symptoms of pulmonary involvement develop (coughing, sneezing, shortness of breath) remove from exposure. If condition persists seek medical attention.

OTHER HEALTH RISKS: Grinding may create sound and vibration levels that could effect hearing and aggravate circulatory problems in the hands. Obtain medical evaluation and use proper protection.

#### **SECTION 5 – FIREFIGHTING MEASURES**

FLASH POINT: Non-flammable.

FLAMMABLE LIMITS IN AIR: Not Known.

AUTOIGNITION TEMPERATURE: Not applicable.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None.

FIRE FIGHTING PROCEDURES: Not applicable.

EXTINGUISHING MEDIA: Not applicable.

HAZARDOUS COMBUSTION PRODUCTS: Carbon monoxide, carbon dioxide.



# SECTION 6 – ACCIDENTAL RELEASE MEASURES

SPILL PROCEDURES: Sweep or shovel product into closable container for disposal. Use a vacuum or wet cleanup for dust.

METHODS FOR CONTAINMENT: Containment is not necessary.

# **SECTION 7 – HANDLING AND STORAGE**

HANDLING: If use conditions generate airborne dust, use in well-ventilated area and avoid breathing dust. Dust should be removed by washing or vacuuming.

STORAGE: No special storage conditions required.

PERSONAL HYGIENE: Use good personal hygiene. Wash hands before eating, drinking or smoking. Do not shake clothing, rags or other items to remove dust.

# SECTION 8 – EXPOSURE CONTROLS, PERSONAL PROTECTION

MATERIAL	CAS#	WEIGHT %	PEL 1	Hazardous Ingredient (YES/NO)
Aluminum Oxide	1344-28-1	> 60%	15mg/m <sup>3</sup> dus	t No
Silicon Carbide	409-21-2	> 60%	15mg/m <sup>3</sup> dus	st Yes
Phenolic Abrasive Binder **	N/E	< 20%	N/E	No
Polychloroprene Compound **	* N/E	< 20%	N/E	No
Nitrile Compound **	N/E	< 20%	N/E	No
Resin Coated Fiberglass	N/E	< 10%	N/E	No
Raw Cotton	N/E	< 20%	1mg/m <sup>3</sup> dust	t No
Cured Epoxy Resin **	N/E	< 10%	N/E	No

<sup>\*\*</sup> Substance is a compound and/or mixture

Abrasive Cotton Fiber Products vary in composition and are comprised of only some of the above.

N/E = not established

PRECAUTIONS FOR SAFE USE AND HANDLING

HANDLING PRECAUTIONS: None known.



# SECTION 8 - EXPOSURE CONTROLS, PERSONAL PROTECTION (cont'd)

#### **CONTROL MEASURES**

EYE PROTECTION: Goggles or safety glasses with side shields are recommended when vitrified

aluminum oxide products are used in polishing, grinding or cutting operations.

PROTECTIVE GLOVES: Recommended but not required for abrasive products.

RESPIRATORY PROTECTION: Not normally required. Selection and use of respiratory protective equipment, if warranted, should be in accordance with OSHA General Industry Standard 29

CFR 1910.134 in the U.S.A. and with CSA Standard Z94.4-M1982 in Canada.

ENGINEERING CONTROLS: Provide process enclosure or local ventilation needed to maintain dust

below applicable exposure limits.

OTHER PROTECTIVE EQUIPMENT: None required.

#### **SECTION 9 -- PHYSICAL AND CHEMICAL PROPERTIES**

PHYSICAL STATE, APPEARANCE, and ODOR: Solid; brown, grey, black. No odor.

ODOR THRESHOLD: Not applicable. SPECIFIC GRAVITY: greater than 1.

VAPOR DENSITY: Not applicable. BOILING POINT: Not applicable.

VAPOR PRESSURE: Not applicable. FREEZING POINT: Not applicable.

EVAPORATION RATE: Not applicable. PH: Not applicable.

SOLUBILITY IN WATER: Not applicable. MOLECULAR WEIGHT: Not applicable.

VOLATILE ORGANIC COMPOUNDS: No.

### **SECTION 10 – STABILITY AND REACTIVITY**

STABILITY: Stable, not reactive with water.

INCOMPATIBILITY (material & conditions to avoid): Strong acids, oxidizing agents.

HAZARDOUS POLYMERIZATION: Will not occur.

HAZARDOUS DECOMPOSITION PRODUCTS: Carbon monoxide, carbon dioxide.



### **SECTION 11 – TOXICOLOGICAL INFORMATION**

TUMORIGENIC DATA: Rat implant: 200mg/kg Tumorigenic: Tumors at site of application (Silicon carbide).

ACGIH CARCINOGEN: Suspected human carcinogen (Silicon carbide).

RTECS Number: BD1200000 (Aluminum Oxide), VW0450000 (Silicon carbide)

INGESTION: Mouse: lethal dose (50% kill): >3,600 mg/kg (Aluminum Oxide); Rat toxic dose: 250 mg/kg (Silicon

carbide).

INHALATION: Rat TC Lo: 200 mg/m³/5H/28W (Intermittent) [Lungs, Thorax, or Respiration – Structural or functional change in trachea or bronchi; Lungs, Thorax, or Respiration - Chronic pulmonary edema

Related to Chronic Data - death] (RTECS) (Aluminum Oxide); Rat TC Lo: 60 mg/m³/6H/13W (Intermittent) [Lungs, Thorax, or Respiration - Structural or functional change in trachea or bronchi; Lungs, Thorax, or Respiration - Chronic pulmonary edema Related to Chronic Data -

death] (RTECS) (Silicon carbide).

## **SECTION 12 – ECOLOGICAL INFORMATION**

ECOTOXICITY: No information available.

PERSISTENCE AND DEGRADABILITY: No information available.

MOBILITY IN SOIL: No information available.

# **SECTION 13 – DISPOSAL CONSIDERATIONS**

WASTE DISPOSAL METHODS: Dispose in accordance with federal, state, provincial and local regulations.

## **SECTION 14 -- TRANSPORTATION INFORMATION**

DOT

PROPER SHIPPING NAME: None. HAZARD CLASS: None. ID NUMBER: None

Packaging Group: None. ER Guidebook #: None.

IATA Shipping Name: Not regulated as dangerous goods.

IMO Shipping Name: Not regulated as dangerous goods.



### **SECTION 15 -- REGULATORY INFORMATION**

TSCA Inventory Status: Listed

ECHA REACH Candidate List: Not listed

EINECS Number: 262-373-8 (Alumina).

EC Number: 215-691-6 (Alumina); 206-991-8 (Silicon Carbide)

SARA TITLE III: Product does not contain toxic chemicals subject to the reporting requirements of Section 313 of

Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

SECTION 302 EXTREMELY HAZARDOUS SUBSTANCE LIST: Not listed

SECTION 313 TOXIC CHEMICALS LIST: Not listed

FEDERAL RCRA HAZARDOUS WASTE: Not listed

REPORTABLE QUANTITY (RQ), UNDER U.S.: Not listed

## **SECTION 16 -- ADDITIONAL INFORMATION**

SDS creation date: June 30, 2015 SDS revision date: June 30, 2015

User assumes all risks incident to the use of this product. To the best of our knowledge, the information contained herein is accurate. However, BORIDE Engineered Abrasives assumes no liability whatsoever for the accuracy or completeness of the information contained herein. No representations or warranties, either expressed or implied, or merchantability, fitness for a particular purpose or of any other nature are made hereunder with respect to information or the product to which information refers. The data contained on this sheet apply to the material as supplied to the user.